

Plant Name	Scientific	Common	Family	Date reviewed 10/2022
	<i>Philadelphus lewisii</i> 'PWY01S'	CHEYENNE mock orange	Hydrangeaceae	
Propagation Method		Native to		
Cuttings				
Treatments (Suggested procedures)				
Softwood cuttings root easiest. Use 1000 ppm IBA. Root under mist in 1:1 peat/perlite. Hardwood cuttings will also root. Use 2500-8000 ppm IBA and root in a sandy medium.				
Collection Timing and Strategies				
Take softwood cuttings in June or July. Hardwood cuttings in late winter to spring.				
Cultural Information				
Greenhouse conditions				
Garden conditions				
Other Expert Advice				
				