

Plant Name	Scientific	Common	Family	Date Reviewed 03/24/20
Buddleja alternifolia 'Argentea'		Alternate-leaved butterfly bush	scrophulariaceae	
Propagation Method		Native to		
Cuttings easy, Seeds		China		
Treatments (Suggested procedures)				
<p>We prefer tip cuttings taken in late spring. Prepare the cuttings by trimming them to 4-6in inches, Cutting just below a leaf node. remove the lowest leaves. Having about four leaves remaining (leave the tips). Use Woods rooting hormone, or any other hormone will also work. Use mist for a week if it is hot and dry.</p>				
Collection Timing and Strategies				
<p>You can also take cuttings in spring and summer, including softwood, greenwood nodal stem-tips, inter-nodal, and semi-ripe cuttings. Semi-hardwood cuttings are taken summer until mid-autumn Hardwood cuttings can be taken from autumn to midwinter. All root well!</p>				
Cultural Information				
Greenhouse conditions				
Keep on the dry side. No special care need.				
Garden conditions				
<p>Performs best when grown in a sunny, well-drained situation Shouldn't be cut back in the spring, for flower production. Pruning should immediately follow flowering.</p>				
Other Expert Advice				
<p>Attracts many butterflies throughout the Summer. These are nectar rich plants, which encourage beneficial insects such as ladybugs, lacewings and hover-flies to the garden.</p>				