Plant Name	Scientific	Common	Family	Date Reviewed 03/24/20	
Salvia darcyi x S. microphylla		WINDWALKER® royal red salvia	<u>Lamiaceae</u>		
Propagation Method		Native to			
Cuttings		Garden hybrid discovered at Timberli	Garden hybrid discovered at Timberline Gardens by Kelly Grummons		
Treatments (Suggested procedures)					

3" tip cuttings will begin to root in 7-10 days. Cuttings should be processed so that there is at least one node below th

3" tip cuttings will begin to root in 7-10 days. Cuttings should be processed so that there is at least one node below the media. Rooting compounds aid in more uniform rooting. A free-draining cutting media such as 3perlite:1peat is suggested to keep the basal ends from staying too wet and rotting. Frequent misting and high humidity is important for the first 3-4 days to keep the plants from wilting until they have hardened off. Misting and high humidity should be eliminated by the time plants are froming roots.

Collection Timing and Strategies

Cuttings can be taken from any vegetative tip growth. Avoid stems that have already formed inflorescences.

Cultural Information

Greenhouse conditions

In the greenhouse keep plants spaced to provide optimal airflow. Plants can be sheared/pinched to provide a fuller plant.

Garden conditions

Plants will grow in many different garden condtitions. Prefered sites have full sun and some supplemental irrigation. Deadheading or cutting plants back after the initial flush of flowers will give a second round of cutting material and/or can give a second flush of blooms.

Other Expert Advice

Don't eat the flowers! They made my lips feel like they were on fire and my throat swell shut.