Plant Name	Scientific	Common	Family	Date Reviewed 03/24/20	
Scutellaria resinosa 'Smoky Hills'		Smoky Hills blue skullcap	<u>Lamiaceae</u>		
Propagation N	lethod	Native to			

Treatments (Suggested procedures)

We use 20-1 on them in a light mist area and they are usually rooted in a week to a week and half. Cuttings root best from tips and should be about 2" in length. Dis-bud any potential flower parts.

Collection Timing and Strategies

Can be rooted any time plants are in active growth. Cuttings are best taken when plants are not in full flower but can still be rooted.

TX, OK, NE, CO

Cultural Information

Greenhouse conditions

cuttings

Keep plants on the dry side and give plenty of air circulation. Space plants to keep from touching while in humid greenhouses or under overhead irrigation situations.

Garden conditions

A North American Steppe native these plants thrive in low water conditions. If growing in gardens for stock plant where plants get full sun and plenty of air circulation. Do not let other plants dominate or cover them.

Other Expert Advice

Plants are suceptible to Pythium and Rhizoctonia, and Botrytis. Fungal drenches can be applied as a preventative, but if plants are not given good air movement and drier growing conditions you can have trouble with them. These plants are often found growing in disturbed sites in short grass steppes and in areas high in limestone where there is little competition or crowding.